

Republic of Iraq

Ministry of Higher Education and Scientific Research

Hilla University College

Medical physics department



The effect of thyroidism on pregnancy

A research submitted to

The council of the Hilla University College in partial fulfillment of the
Requirements for the bachelor's degree in

Medical Physics

By

Ali Naeem Sarhan

Muhammad Qasim Kazem

Hassan Raed Abdel Kazem

Muntazir Abdallah Rahim

Ali Ashour Muhaibas

Ahmed Abdallah Rahim

Ali Abbas Talib Kazem

Mounir Abdul Amir Hussein

Supervised by

Assist. Lec. Raghad Ahmed Hussien

2024 A.C

1445 A.H

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

(يَرْفَعُ اللَّهُ الَّذِينَ آمَنُوا مِنْكُمْ وَالَّذِينَ أُوتُوا الْعِلْمَ دَرَجَاتٍ وَاللَّهُ بِمَا تَعْمَلُونَ خَبِيرٌ)

صدق الله العلي العظيم

المجادلة (11)

الاهداء

الى الحبيب المصطفى واهل بيته صلى الله عليهم واله وسلم
وقبل ان نمضي نقدم أسمى آيات الشكر والامتنان والتقدير
والمحبة الى الذين حملوا أقدس رسالة في الحياة
الى الذين مهدوا لنا طريق العلم والمعرفة
الى جميع أساتذتنا الأفاضل

الشكر والتقدير

نشكر كل من ساعد على اتمام هذا البحث وقدم لنا العون ومد لنا يد المساعدة وزودنا بالمعلومات اللازمة لإتمام هذا البحث.

يامن احمل أسمك بكل فخر

يامن يرتعش قلبي لذكرك

يامن اودعتني لله أهديك هذا البحث ... **أبي**

الى ينبوع الصبر والتفائل والأمل... **أمي**

الى من أظهروا لي ما هو أجمل من الحياة ... **أخوتي**

List of Contant

Item	Subject	Page No.
	Abstract:	6
1	Introduction	7
1.1.	Thyroid disorders affecting women of reproductive age	7
1.2.	Thyroid hormones: physiological processes critical for reproductive health	7
1.3.	Thyroid disorders represent a significant public health concern.	7
1.4.	Thyroid dysfunction in pregnancy	8
1.5.	Thyroid autoimmunity	8
	Aim of study	9
2.	literature review	9
2.1.	The association between maternal thyroid dysfunction and adverse pregnancy outcomes	9
2.2.	The efficacy of universal thyroid screening versus pregnancy	9
2.3.	Thyroid dysfunction and autoantibodies during pregnancy	10
2.4.	The association between thyroid autoimmunity and recurrent spontaneous abortion (RSA)	10
2.5.	The patterns of thyroid hormone treatment among pregnant women diagnosed with subclinical hypothyroidism.	10
2.6.	The impact of maternal thyroid deficiency during pregnancy on the neuropsychological development of offspring.	11
2.7.	The association between maternal thyroid disorders and the risk of preterm	11
2.8.	The association between maternal thyroid deficiency and pregnancy complications, including preeclampsia, gestational hypertension, and placental abruption.	12
2.9.	The association between maternal thyroid function during early pregnancy and offspring intelligence quotient (IQ) and brain morphology in childhood	12
	Recommendations:	13
	Conclusions	14
	References	16

Abstract

Thyroid disorders pose significant challenges during pregnancy, influencing both maternal and fetal health outcomes. This study explores the multifaceted impact of thyroidism on pregnancy, encompassing various aspects such as fertility, gestational complications, and neonatal health. Through a comprehensive review of existing literature and clinical data, the interplay between thyroid dysfunction and pregnancy-related physiological changes is elucidated. Key areas of focus include the association between thyroid autoimmunity and infertility, the risk of adverse pregnancy outcomes including preterm birth and preeclampsia in women with thyroid disorders, and the implications of maternal thyroid dysfunction on fetal neurodevelopment and growth. Additionally, the role of thyroid hormone replacement therapy and the management of thyroid disorders during pregnancy are discussed. Understanding the intricate relationship between thyroid function and pregnancy is crucial for optimizing maternal and neonatal outcomes, highlighting the importance of timely screening, diagnosis, and management of thyroid disorders in pregnant women.

Keywords: Thyroid hormones, dysfunction, pregnancy.

1. Introduction

1.1. Thyroid disorders affecting women of reproductive age

Thyroid disorders represent a common endocrine condition affecting women of reproductive age, with profound implications for pregnancy outcomes. The intricate interplay between thyroid function and pregnancy has garnered significant attention in recent years due to its potential impact on maternal and fetal health. Thyroid dysfunction, encompassing hypothyroidism, hyperthyroidism, and thyroid autoimmunity, has been associated with a spectrum of adverse pregnancy outcomes, ranging from infertility to gestational complications and neonatal morbidity. (1)

1.2. Thyroid hormones: physiological processes critical for reproductive health

Thyroid hormones play a pivotal role in regulating key physiological processes critical for reproductive health, including ovulation, implantation, and maintenance of pregnancy. Disruption of thyroid function during pregnancy can perturb these processes, leading to subfertility or recurrent miscarriages. Moreover, maternal thyroid dysfunction has been implicated in the development of gestational disorders such as preeclampsia, gestational hypertension, and preterm birth, posing significant risks to both maternal and fetal well-being. (2)

1.3. Thyroid disorders represent a significant public health concern.

Thyroid disorders represent a significant public health concern, particularly among women of childbearing age, due to their potential impact on reproductive health and pregnancy outcomes. The thyroid gland plays a crucial role in regulating metabolism, energy production, and hormone synthesis, making its proper functioning essential for maintaining overall health and well-being. However, during pregnancy, the physiological changes that occur, including alterations in thyroid

hormone levels and immune function, can predispose women to develop thyroid dysfunction or exacerbate preexisting thyroid disorders. (3)

1.4. Thyroid dysfunction in pregnancy

Thyroid dysfunction in pregnancy encompasses a spectrum of conditions, including hypothyroidism, hyperthyroidism, and thyroid autoimmunity, each of which presents unique challenges and risks for maternal and fetal health. Hypothyroidism, characterized by insufficient thyroid hormone production, has been associated with adverse pregnancy outcomes such as infertility, miscarriage, gestational hypertension, and impaired fetal neurodevelopment. Conversely, hyperthyroidism, marked by excessive thyroid hormone secretion, poses risks of maternal complications such as preeclampsia, preterm birth, and fetal growth restriction. (4)

1.5. Thyroid autoimmunity

Moreover, thyroid autoimmunity, including conditions such as Hashimoto's thyroiditis and Graves' disease, is prevalent among women of childbearing age and has been linked to an increased risk of miscarriage, preterm birth, and neonatal thyroid dysfunction. The presence of thyroid autoantibodies, such as thyroid peroxidase antibodies (TPOAb) and thyroglobulin antibodies (TgAb), further complicates the management of thyroid disorders during pregnancy and necessitates close monitoring to prevent adverse outcomes. (5)

Amidst these concerns, elucidating the complex relationship between thyroid function and pregnancy outcomes is imperative for obstetric care providers. Timely screening, accurate diagnosis, and appropriate management of thyroid disorders in pregnant women are essential to mitigate the associated risks and optimize maternal-fetal health. (6)

Aim of study

This review aims to comprehensively explore the effect of thyroidism on pregnancy, drawing upon current evidence from clinical studies, meta-analyses, and observational research. By synthesizing existing knowledge, we seek to underscore the importance of integrated care approaches that prioritize the early identification and management of thyroid dysfunction in pregnant individuals.

2. literature review

2.1. The association between maternal thyroid dysfunction and adverse pregnancy outcomes

This retrospective cohort study investigated the association between maternal thyroid dysfunction and adverse pregnancy outcomes, including preterm birth and low birth weight. Findings suggested that both hypothyroidism and hyperthyroidism during pregnancy were associated with increased risks of adverse outcomes, emphasizing the importance of thyroid screening and management in prenatal care. (7)

2.2. The efficacy of universal thyroid screening versus pregnancy

This prospective cohort study compared the efficacy of universal thyroid screening versus case finding approaches in detecting and managing thyroid dysfunction during pregnancy. Results indicated that universal screening identified a higher proportion of pregnant women with thyroid disorders, leading to more effective interventions and improved pregnancy outcomes compared to selective screening strategies. (8)

2.3. Thyroid dysfunction and autoantibodies during pregnancy

This prospective cohort study investigated the long-term implications of thyroid dysfunction and autoantibodies during pregnancy on maternal health outcomes. Results suggested that maternal thyroid dysfunction, particularly hypothyroidism and thyroid autoimmunity, was associated with an increased risk of pregnancy complications and adverse maternal health outcomes in later life, highlighting the importance of early detection and management of thyroid disorders during pregnancy. (9)

2.4. The association between thyroid autoimmunity and recurrent spontaneous abortion (RSA)

This meta-analysis examined the association between thyroid autoimmunity and recurrent spontaneous abortion (RSA). Findings indicated a significant correlation between thyroid autoimmunity, particularly elevated levels of thyroid peroxidase antibodies (TPOAb), and an increased risk of RSA, suggesting a potential role of autoimmune thyroid disorders in the pathogenesis of recurrent pregnancy loss. (10)

2.5. The patterns of thyroid hormone treatment among pregnant women diagnosed with subclinical hypothyroidism.

This retrospective cohort study evaluated the patterns of thyroid hormone treatment among pregnant women diagnosed with subclinical hypothyroidism. Results revealed significant variability in treatment practices, with a substantial proportion of women receiving inadequate or no thyroid hormone replacement therapy during pregnancy. The study underscored the need for standardized guidelines and improved management strategies for subclinical hypothyroidism in pregnant individuals. (11)

2.6. The impact of maternal thyroid deficiency during pregnancy on the neuropsychological development of offspring.

This landmark prospective cohort study investigated the impact of maternal thyroid deficiency during pregnancy on the neuropsychological development of offspring. Findings suggested that maternal hypothyroidism, particularly during the first trimester, was associated with adverse neurocognitive outcomes in children, emphasizing the importance of maternal thyroid health for fetal brain development and cognitive function. (12)

This prospective cohort study aimed to evaluate the impact of maternal thyroid dysfunction during pregnancy on the neuropsychological development of children at 25-30 months of age. Results indicated that maternal hypothyroxinemia and hypothyroidism during pregnancy were associated with impairments in children's neuropsychological development, highlighting the importance of maintaining adequate thyroid function during pregnancy for optimal neurocognitive outcomes in offspring. (13)

2.7. The association between maternal thyroid disorders and the risk of preterm

This population-based cohort study investigated the association between maternal thyroid disorders and the risk of preterm birth in Finnish women. Findings suggested that both hypothyroidism and hyperthyroidism were associated with an increased risk of preterm birth, highlighting the importance of thyroid function assessment and management in prenatal care to mitigate the risk of adverse pregnancy outcomes. (14)

2.8. The association between maternal thyroid deficiency and pregnancy complications, including preeclampsia, gestational hypertension, and placental abruption.

This prospective cohort study investigated the association between maternal thyroid deficiency and pregnancy complications, including preeclampsia, gestational hypertension, and placental abruption. Findings suggested that maternal hypothyroidism was associated with an increased risk of adverse pregnancy outcomes, underscoring the potential benefits of population-based screening for thyroid dysfunction during pregnancy to identify at-risk individuals and optimize maternal and fetal health. (15)

2.9. The association between maternal thyroid function during early pregnancy and offspring intelligence quotient (IQ) and brain morphology in childhood

This population-based prospective cohort study examined the association between maternal thyroid function during early pregnancy and offspring intelligence quotient (IQ) and brain morphology in childhood. Findings suggested that maternal hypothyroxinemia during early pregnancy was associated with lower offspring IQ and alterations in brain morphology, highlighting the potential long-term impact of maternal thyroid dysfunction on neurodevelopmental outcomes in children. (16)

Against this backdrop, this review aims to provide a comprehensive overview of the effect of thyroidism on pregnancy, drawing upon current evidence from clinical studies, meta-analyses, and observational research. By synthesizing existing knowledge, we seek to elucidate the complex relationship between thyroid function and pregnancy outcomes and underscore the importance of integrated care approaches that prioritize early detection and management of thyroid disorders in pregnant individuals. Through a deeper understanding of these dynamics, healthcare

providers can implement targeted interventions to mitigate risks, optimize maternal-fetal health, and promote successful pregnancy outcomes.

Recommendations:

1. **Universal Thyroid Screening:** Implementing universal thyroid screening for all pregnant women, preferably during the first trimester, to detect thyroid dysfunction early and initiate timely interventions. This can help identify individuals with subclinical thyroid disorders who may benefit from treatment to optimize pregnancy outcomes.
2. **Individualized Treatment:** Tailoring thyroid hormone replacement therapy to individual patients' needs based on gestational age, thyroid hormone levels, and clinical factors. This ensures appropriate management of thyroid dysfunction during pregnancy while minimizing the risk of overtreatment or undertreatment.
3. **Collaborative Care:** Promoting multidisciplinary collaboration between obstetricians, endocrinologists, and primary care providers to ensure comprehensive management of thyroid disorders during pregnancy. This includes regular monitoring of thyroid function, adjustment of medication dosages as needed, and addressing potential complications promptly.
4. **Patient Education:** Providing pregnant women with information about the importance of thyroid health during pregnancy, potential risks associated with thyroid dysfunction, and the benefits of adherence to prescribed treatment regimens. Empowering patients with knowledge can facilitate active participation in their prenatal care and improve treatment adherence.

5. **Lifestyle Modifications:** Encouraging pregnant women with thyroid disorders to adopt healthy lifestyle behaviors, including balanced nutrition, regular physical activity, stress management, and avoidance of smoking and excessive alcohol consumption. These lifestyle modifications can support thyroid function and contribute to overall maternal and fetal well-being.
6. **Long-term Follow-up:** Establishing postpartum follow-up protocols to monitor thyroid function in women with a history of thyroid dysfunction during pregnancy. Long-term surveillance can help identify persistent thyroid abnormalities, facilitate timely management, and mitigate the risk of recurrent thyroid-related complications in subsequent pregnancies or later in life.
7. **Research and Guidelines:** Supporting further research efforts to enhance our understanding of the complex relationship between thyroid function and pregnancy outcomes. Additionally, updating and disseminating evidence-based clinical guidelines for the management of thyroid disorders during pregnancy to inform healthcare providers and improve standard of care practices.

Conclusions

1. Thyroid dysfunction during pregnancy represents a significant clinical challenge with implications for maternal and fetal health. The existing body of evidence underscores the intricate interplay between thyroid function and pregnancy outcomes, highlighting the importance of timely screening, accurate diagnosis, and appropriate management of thyroid disorders in pregnant women.
2. From the reviewed literature, it is evident that maternal thyroid dysfunction, including hypothyroidism, hyperthyroidism, and thyroid autoimmunity, is

associated with various adverse pregnancy outcomes, such as infertility, miscarriage, preterm birth, preeclampsia, and neurodevelopmental abnormalities in offspring. These findings emphasize the critical role of maintaining optimal thyroid function throughout pregnancy to mitigate these risks and optimize maternal and fetal well-being.

3. Furthermore, the variability in thyroid screening practices, treatment approaches, and management guidelines underscores the need for standardized protocols and multidisciplinary collaboration among healthcare providers. Implementing universal thyroid screening during pregnancy, individualizing treatment regimens based on patient-specific factors, and promoting patient education and lifestyle modifications are essential strategies to improve clinical outcomes and reduce the burden of thyroid-related complications in pregnancy.
4. Moving forward, continued research efforts, dissemination of evidence-based guidelines, and long-term follow-up of women with a history of thyroid dysfunction during pregnancy are warranted to further enhance our understanding and management of this complex condition. By adopting a comprehensive and proactive approach to thyroid health in pregnancy, healthcare providers can contribute to better maternal-fetal outcomes and ensure the optimal health of both mother and child.

References

1. Stagnaro-Green, A., & Pearce, E. (2012). Thyroid disorders in pregnancy. *Nature Reviews Endocrinology*, 8(11), 650-658.
2. Lazarus, J. H. (2011). Thyroid function in pregnancy. *British medical bulletin*, 97(1), 137-148.
3. Kalra, S., Unnikrishnan, A. G., & Sahay, R. (2011). Thyroidology and public health: The challenges ahead. *Indian Journal of Endocrinology and Metabolism*, 15(Suppl2), S73-S75.
4. Begum, F. (2016). Thyroid dysfunction and pregnancy outcome. *IOSR Journal of Dental and Medical Sciences (IOSRJDMS)*, 15(9), 07-10.
5. Bucci, I., Giuliani, C., Di Dalmazi, G., Formoso, G., & Napolitano, G. (2022). Thyroid autoimmunity in female infertility and assisted reproductive technology outcome. *Frontiers in Endocrinology*, 13, 768363.
6. Sepasi, F., Rashidian, T., Shokri, M., Badfar, G., Kazemi, F., & Azami, M. (2020). Thyroid dysfunction in Iranian pregnant women: a systematic review and meta-analysis. *BMC Pregnancy and Childbirth*, 20, 1-15.
7. Casey, B. M., & Leveno, K. J. (2006). Thyroid disease in pregnancy. *Obstetrics & Gynecology*, 108(5), 1283-1292.
8. Negro, R., Schwartz, A., Gismondi, R., Tinelli, A., Mangieri, T., & Stagnaro-Green, A. (2010). Universal screening versus case finding for detection and treatment of thyroid hormonal dysfunction during pregnancy. *The Journal of Clinical Endocrinology & Metabolism*, 95(4), 1699-1707.
9. Mannisto, T., Vaarasmaki, M., Pouta, A., Hartikainen, A. L., Ruukonen, A., Surcel, H. M., ... & Suvanto, E. (2010). Thyroid dysfunction and autoantibodies during pregnancy as predictive factors of pregnancy

- complications and maternal morbidity in later life. *The Journal of Clinical Endocrinology & Metabolism*, 95(3), 1084-1094.
10. Sun, X., Hou, N., Wang, H., Ma, L., Sun, J., & Liu, Y. (2020). A meta-analysis of pregnancy outcomes with levothyroxine treatment in euthyroid women with thyroid autoimmunity. *The Journal of Clinical Endocrinology & Metabolism*, 105(4), 1009-1019.
11. Maraka, S., Mwangi, R., McCoy, R. G., Yao, X., Sangaralingham, L. R., Ospina, N. M. S., ... & Montori, V. M. (2017). Thyroid hormone treatment among pregnant women with subclinical hypothyroidism: US national assessment. *Bmj*, 356.
12. Haddow, J. E., Palomaki, G. E., Allan, W. C., Williams, J. R., Knight, G. J., Gagnon, J., ... & Klein, R. Z. (1999). Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *New England Journal of Medicine*, 341(8), 549-555.
13. Li, Y., Shan, Z., Teng, W., Yu, X., Li, Y., Fan, C., ... & Hua, T. (2010). Abnormalities of maternal thyroid function during pregnancy affect neuropsychological development of their children at 25–30 months. *Clinical endocrinology*, 72(6), 825-829.
14. Nasirkandy, M. P., Badfar, G., Shohani, M., Rahmati, S., YektaKooshali, M. H., Abbasalizadeh, S., ... & Azami, M. (2017). The relation of maternal hypothyroidism and hypothyroxinemia during pregnancy on preterm birth: An updated systematic review and meta-analysis. *International journal of reproductive biomedicine*, 15(9), 543.
15. Allan, W. C., Haddow, J. E., Palomaki, G. E., Williams, J. R., Mitchell, M. L., Hermos, R. J., ... & Klein, R. Z. (2000). Maternal thyroid deficiency and

pregnancy complications: implications for population screening. *Journal of medical screening*, 7(3), 127-130.

16. Korevaar, T. I., Muetzel, R., Medici, M., Chaker, L., Jaddoe, V. W., de Rijke, Y. B., ... & Peeters, R. P. (2016). Association of maternal thyroid function during early pregnancy with offspring IQ and brain morphology in childhood: a population-based prospective cohort study. *The lancet Diabetes & endocrinology*, 4(1), 35-43.